

HiMedia Laboratories Private Limited

23, Vadhani Industrial Estate, L.B.S. Marg,
Mumbai - 400086 , Website : www.himedialabs.com,
Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : M1591	Material Name : Tryptone Bile Glucuronic Agar	Lot No : 0000485146
Report No.: 40001129177	Date of Release & Report : 2021-06-07	Expiry Date : 2024-05

Appearance

Cream to yellow coloured homogeneous free flowing powder . Observed : Light yellow

Gelling

Firm, comparable with 1.5% Agar gel

Colour and Clarity of prepared medium

Yellow coloured clear to slightly opalescent gel forms in Petri plates

Reaction

Reaction of 3.66% w/v aqueous solution at 25°C.

pH

pH Range :7.00-7.40 Observed : 7.33

Cultural Response

Cultural characteristics observed after an incubation at 44°C for 18- 24 hours.

Organism	Inoculum (CFU)	Growth	Recovery	Colour of Colony
Cultural Response				
<i>Citrobacter freundii</i> ATCC 8090	$\geq 10^4$	inhibited	0%	-
<i>Escherichia coli</i> ATCC 25922 (WDCM 00013)	50-100	luxuriant	$\geq 50\%$	blue-green
<i>Enterococcus faecalis</i> ATCC 29212 (WDCM 00087)	$\geq 10^4$	inhibited	0%	-

. ATCC is a registered trade mark of the American Type Culture Collection

. NCTC and National Collection of Type Culture are registered trade mark of the Health Protection Agency

Control Media :

. For Bacteria : Soyabean Casein Digest Agar / Columbia Blood Agar base enriched with 5% v/v Sheep/Horse blood.

. For Yeast & Mold : Sabouraud Dextrose Agar.

. All ISO 11133 : 2014/Amd.1:2018(E) control strains are included in the Quality parameter

. HiMedia Laboratories Pvt Ltd is Certified for ISO 9001:2015, ISO 13485:2016 , WHO GMP

. Information for BSE/TSE Risk: The material was subjected to pH ≤ 7.0 and/or a temperature in excess of 75°C for no less than 2 hours during the manufacturing process. The bovine raw material for this product was collected entirely from Indian Origin animals in a licensed based establishment. The animals are inspected under a Govt. approved veterinarian's supervision and were

HiMedia Laboratories Private Limited

23, Vadhani Industrial Estate, L.B.S. Marg,
Mumbai - 400086 , Website : www.himedialabs.com,
Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : M1591	Material Name : Tryptone Bile Glucuronic Agar	Lot No : 0000485146
Report No.: 40001129177	Date of Release & Report : 2021-06-07	Expiry Date : 2024-05

apparently free from infectious and contagious diseases. BSE (Bovine Spongiform Encephalopathy)/ TSE (Transmissible Spongiform Encephalopathy) and dioxine are not known to exist in India. This material does not contain, nor is derived from the specific risks material as defined in The Maharashtra Animal Preservation Act Govt. of Maharashtra, India.

STATUS OF THE MATERIAL : APPROVED

This is to certify that this lot passes and it confirms to the above mentioned tests and specifications . The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current HiMedia manual or product sheets. The results reported were obtained at the time of release.

This document has been produced electronically and is valid


Prachi Ratnakar

Microbiologist/Sr.Executive
Microbiologist


Ujwala M. Kokate

Asst./Dy/QC Manager


Dr. Santosh Kaul

Dy/QA Manager

2021-06-07